· · · · · · · · · · · · · · · · · · ·	Application No.	Applicant(s)
	09/802,577	BEAVEN ET AL
Notice of Allowability	Examiner	Art Unit
	Kieu D. Vu	2173
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	ears on the cover sheet w (OR REMAINS) CLOSED or other appropriate comn IGHTS. This application is	rith the correspondence address in this application. If not included nunication will be mailed in due course. THIS
1. This communication is responsive to the Amendment filed	<u>09/18/06</u> .	
2. The allowed claim(s) is/are <u>1-36</u> .		
 3. ☐ Acknowledgment is made of a claim for foreign priority uner a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 	e been received.	
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
· ·		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of I	nformal Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		Summary (PTO-413),
3. Information Disclosure Statements (PTO/SB/08),	7. 🛭 Examiner	./Mail Date s Amendment/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. 🛭 Examiner	s Statement of Reasons for Allowance
of Biological Material	9. 🗌 Other	
·		

Application/Control Number: 09/802,577

Art Unit: 2173

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Applicant's representative Victor Wasylyna (Reg. 52345) on 10/16/06.

In the claims:

Claim 27, line 1, delete "operating"

Allowable Subject Matter

3. Claims 1-36 are allowed.

The following is an examiner's statement of reasons for allowance:

Examiner has carefully considered the independent claims 1, 7, 12, 16, 20, and
32 and the Applicant's arguments filed 09/18/06.

Suzuki teaches a system for managing a computer from a host computer, comprising the generating a GUI for a printer for interfacing between a host processor of the computer and a user (column 1, lines 46-49); a data module containing an operating code for causing the printer to execute a predetermined action responsive to a computer command initiated at the GUI (Fig. 1, column 6, lines 38-43); and a conflict dialog module coupled to the data module and having a list of conflicts, the data module causing the conflict dialog module to generate

Art Unit: 2173

a conflict (error) from the list of conflicts responsive to a selected predetermined action to be executed by the host processor (col 2, lines 6-8; col 5, lines 52-64). However, Suzuki does not teach that GUI code is maintained independently of operating code by using separate modules. In fact, Suzuki teaches both the printer driver and the printer monitor include a graphic user interface ("GUI"). The printer driver GUI displays printer status data to the user and the printer monitor GUI displays printer errors or warnings. Sieffert teaches an imaging system in which the modular structure of the components allows the system to be modified to handle different imaging devices by swapping out components. Sieffert also does not teach GUI code that is maintained independently of operating code by using separate modules. Therefore, neither Suzuki nor Sieffert, alone or in combination, specifically teaches that GUI code is maintained independently of operating code by using separate modules such that the modification of GUI code does not affect other module(s), in specific combination as recited in the independent claims 1, 7, 12, 16, 20, and 32.

- 4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kieu D. Vu. The examiner can normally be reached on Mon Thu from 7:00AM to 3:00PM at 571-272-4057.

Art Unit: 2173

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Cabeca, can be reached at 571-272-4048.

The fax phone numbers for the organization where this application or proceeding is assigned are as follows:

571-273-8300

and / or:

571-273-4057 (use this FAX #, only after approval by Examiner, for "INFORMAL" or "DRAFT" communication. Examiners may request that a formal paper / amendment be faxed directly to them on occasions).

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kieu D. Vu

Primary Examiner

Kreuhenler